

姿図




品番	GSP003D[B・W]L (30度配光)
光源	LED
定格光束	753lm
1/2 照度角	33°
ビーム角	36°

器具効率 76%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.67	0.64	0.63	0.61	0.60	0.60	0.66	0.63	0.62	0.61	0.60	0.60	0.65	0.63	0.62	0.61	0.60	0.59	0.59
0.8	0.72	0.68	0.68	0.66	0.66	0.64	0.70	0.67	0.67	0.65	0.65	0.64	0.69	0.67	0.66	0.65	0.64	0.64	0.63
1.0	0.75	0.70	0.72	0.68	0.69	0.67	0.73	0.70	0.70	0.68	0.68	0.67	0.72	0.69	0.69	0.67	0.67	0.66	0.65
1.25	0.77	0.71	0.73	0.69	0.71	0.68	0.75	0.70	0.72	0.69	0.69	0.67	0.73	0.70	0.70	0.68	0.68	0.67	0.66
1.5	0.78	0.72	0.74	0.70	0.71	0.68	0.75	0.71	0.72	0.69	0.70	0.67	0.73	0.70	0.71	0.68	0.69	0.67	0.66
2.0	0.82	0.74	0.78	0.72	0.75	0.71	0.78	0.73	0.76	0.71	0.73	0.70	0.75	0.72	0.73	0.70	0.71	0.69	0.68
2.5	0.84	0.75	0.81	0.74	0.78	0.72	0.80	0.74	0.78	0.73	0.75	0.71	0.77	0.73	0.75	0.72	0.73	0.71	0.69
3.0	0.86	0.76	0.83	0.75	0.80	0.74	0.81	0.75	0.79	0.74	0.77	0.73	0.78	0.74	0.76	0.73	0.75	0.72	0.70
4.0	0.90	0.79	0.88	0.78	0.86	0.78	0.85	0.78	0.84	0.77	0.82	0.77	0.81	0.77	0.80	0.76	0.79	0.76	0.74
5.0	0.91	0.79	0.89	0.79	0.87	0.78	0.86	0.78	0.84	0.77	0.83	0.77	0.81	0.77	0.80	0.76	0.79	0.76	0.74
10.0	0.94	0.81	0.94	0.81	0.93	0.81	0.89	0.80	0.88	0.80	0.88	0.80	0.83	0.79	0.83	0.79	0.83	0.78	0.77

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]J (15度配光)
光源	LED
定格光束	703lm
1/2 照度角	20°
ビーム角	20°

器具効率 71%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁																			
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.65	0.62	0.62	0.60	0.60	0.59	0.64	0.62	0.62	0.60	0.60	0.59	0.64	0.62	0.61	0.60	0.59	0.59	0.58
0.8	0.69	0.65	0.66	0.64	0.64	0.62	0.68	0.65	0.65	0.63	0.63	0.62	0.67	0.64	0.65	0.63	0.63	0.62	0.61
1.0	0.72	0.67	0.69	0.66	0.66	0.64	0.70	0.67	0.68	0.65	0.65	0.64	0.69	0.66	0.66	0.65	0.65	0.64	0.63
1.25	0.73	0.67	0.70	0.66	0.67	0.64	0.71	0.67	0.68	0.65	0.66	0.64	0.69	0.66	0.67	0.65	0.65	0.64	0.63
1.5	0.73	0.67	0.70	0.65	0.67	0.64	0.71	0.66	0.68	0.65	0.66	0.63	0.69	0.66	0.66	0.64	0.64	0.63	0.62
2.0	0.76	0.69	0.73	0.67	0.71	0.66	0.73	0.68	0.71	0.67	0.69	0.65	0.70	0.67	0.68	0.66	0.67	0.65	0.64
2.5	0.78	0.70	0.75	0.69	0.73	0.68	0.75	0.69	0.73	0.68	0.71	0.67	0.72	0.68	0.70	0.67	0.68	0.66	0.65
3.0	0.80	0.71	0.77	0.70	0.75	0.69	0.76	0.70	0.74	0.69	0.72	0.68	0.73	0.69	0.71	0.68	0.70	0.67	0.66
4.0	0.84	0.74	0.83	0.74	0.81	0.73	0.80	0.73	0.79	0.73	0.78	0.72	0.76	0.72	0.75	0.72	0.74	0.71	0.70
5.0	0.85	0.75	0.84	0.74	0.82	0.74	0.80	0.73	0.79	0.73	0.78	0.72	0.76	0.72	0.75	0.72	0.75	0.71	0.70
10.0	0.89	0.77	0.88	0.77	0.88	0.77	0.83	0.75	0.83	0.75	0.83	0.75	0.79	0.74	0.78	0.74	0.78	0.74	0.72

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]L (50度配光)
光源	LED
定格光束	738lm
1/2 照度角	43°
ビーム角	47°

器具効率 75%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------

照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0%
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.70	0.66	0.66	0.65	0.64	0.63	0.69	0.66	0.66	0.64	0.64	0.63	0.68	0.66	0.65	0.64	0.64	0.63	0.63
0.8	0.72	0.68	0.69	0.66	0.66	0.65	0.71	0.68	0.68	0.66	0.66	0.65	0.70	0.67	0.67	0.66	0.65	0.64	0.64
1.0	0.75	0.70	0.72	0.69	0.69	0.67	0.73	0.70	0.71	0.68	0.68	0.67	0.72	0.69	0.69	0.68	0.68	0.67	0.66
1.25	0.78	0.72	0.74	0.70	0.72	0.69	0.75	0.71	0.73	0.70	0.70	0.68	0.73	0.70	0.71	0.69	0.69	0.68	0.67
1.5	0.79	0.73	0.76	0.71	0.74	0.70	0.77	0.72	0.74	0.71	0.72	0.69	0.74	0.71	0.72	0.70	0.71	0.69	0.68
2.0	0.83	0.75	0.80	0.74	0.78	0.73	0.80	0.74	0.77	0.73	0.75	0.72	0.77	0.73	0.75	0.72	0.73	0.71	0.70
2.5	0.84	0.76	0.82	0.74	0.79	0.73	0.81	0.75	0.79	0.74	0.77	0.73	0.77	0.73	0.76	0.73	0.74	0.72	0.71
3.0	0.86	0.76	0.83	0.75	0.81	0.74	0.82	0.75	0.80	0.74	0.78	0.74	0.78	0.74	0.77	0.73	0.75	0.73	0.71
4.0	0.88	0.77	0.86	0.77	0.84	0.76	0.83	0.76	0.82	0.76	0.80	0.75	0.79	0.75	0.78	0.74	0.77	0.74	0.72
5.0	0.90	0.78	0.88	0.78	0.86	0.77	0.85	0.77	0.83	0.77	0.82	0.76	0.80	0.76	0.79	0.76	0.79	0.75	0.74
10.0	0.93	0.80	0.92	0.80	0.92	0.80	0.87	0.79	0.87	0.79	0.86	0.79	0.82	0.77	0.82	0.77	0.82	0.77	0.76

配光曲線



水平面照度

