

姿図




品番	GSP003D[B・W]L2 (30度配光)
光源	LED
定格光束	706lm
1/2 照度角	33°
ビーム角	36°

器具効率 76%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%	
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%	
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%	
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%	
0.6	0.67	0.64	0.63	0.61	0.61	0.60	0.66	0.63	0.63	0.61	0.60	0.60	0.65	0.63	0.62	0.61	0.60	0.60	0.59	
0.8	0.72	0.68	0.68	0.66	0.66	0.64	0.71	0.67	0.67	0.65	0.65	0.64	0.69	0.67	0.67	0.65	0.65	0.64	0.63	
1.0	0.75	0.70	0.72	0.68	0.69	0.67	0.74	0.70	0.71	0.68	0.68	0.67	0.72	0.69	0.69	0.68	0.67	0.66	0.66	
1.25	0.77	0.71	0.73	0.69	0.71	0.68	0.75	0.71	0.72	0.69	0.70	0.67	0.73	0.70	0.70	0.68	0.68	0.67	0.66	
1.5	0.78	0.72	0.74	0.70	0.72	0.68	0.76	0.71	0.73	0.69	0.70	0.68	0.73	0.70	0.71	0.68	0.69	0.67	0.66	
2.0	0.82	0.74	0.78	0.72	0.75	0.71	0.78	0.73	0.76	0.71	0.73	0.70	0.75	0.72	0.73	0.70	0.71	0.69	0.68	
2.5	0.84	0.75	0.81	0.74	0.78	0.72	0.80	0.74	0.78	0.73	0.76	0.71	0.77	0.73	0.75	0.72	0.73	0.71	0.69	
3.0	0.86	0.76	0.83	0.75	0.80	0.74	0.82	0.75	0.79	0.74	0.77	0.73	0.78	0.74	0.76	0.73	0.75	0.72	0.70	
4.0	0.90	0.79	0.88	0.78	0.86	0.78	0.85	0.78	0.84	0.77	0.82	0.77	0.81	0.77	0.80	0.76	0.79	0.76	0.74	
5.0	0.91	0.79	0.89	0.79	0.87	0.78	0.86	0.78	0.84	0.77	0.83	0.77	0.81	0.77	0.80	0.76	0.79	0.76	0.74	
10.0	0.94	0.82	0.94	0.81	0.93	0.81	0.89	0.80	0.88	0.80	0.88	0.80	0.84	0.79	0.83	0.79	0.83	0.79	0.77	

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]L2 (15度配光)
光源	LED
定格光束	651lm
1/2 照度角	19°
ビーム角	18°

器具効率 70%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%	
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%	
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%	
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%
0.6	0.65	0.62	0.62	0.60	0.59	0.59	0.64	0.61	0.61	0.60	0.59	0.59	0.63	0.61	0.61	0.60	0.59	0.58	0.58	0.58
0.8	0.69	0.65	0.65	0.63	0.63	0.62	0.67	0.64	0.65	0.63	0.63	0.62	0.66	0.64	0.64	0.62	0.62	0.61	0.61	0.61
1.0	0.71	0.66	0.68	0.65	0.66	0.64	0.69	0.66	0.67	0.64	0.65	0.63	0.68	0.65	0.66	0.64	0.64	0.63	0.62	0.62
1.25	0.72	0.67	0.69	0.65	0.66	0.64	0.70	0.66	0.67	0.64	0.65	0.63	0.68	0.65	0.66	0.64	0.64	0.63	0.62	0.62
1.5	0.73	0.67	0.69	0.65	0.66	0.63	0.70	0.66	0.67	0.64	0.65	0.63	0.68	0.65	0.66	0.63	0.64	0.62	0.61	0.61
2.0	0.75	0.68	0.72	0.67	0.70	0.65	0.72	0.67	0.70	0.66	0.68	0.65	0.70	0.66	0.68	0.65	0.66	0.64	0.63	0.63
2.5	0.77	0.69	0.75	0.68	0.72	0.67	0.74	0.68	0.72	0.67	0.70	0.66	0.71	0.67	0.69	0.66	0.68	0.65	0.64	0.64
3.0	0.79	0.71	0.77	0.69	0.74	0.68	0.75	0.69	0.73	0.68	0.72	0.67	0.72	0.68	0.70	0.67	0.69	0.67	0.65	0.65
4.0	0.83	0.74	0.82	0.73	0.80	0.72	0.79	0.72	0.78	0.72	0.77	0.72	0.75	0.71	0.74	0.71	0.74	0.71	0.69	0.69
5.0	0.84	0.74	0.83	0.73	0.81	0.73	0.79	0.72	0.78	0.72	0.77	0.72	0.75	0.71	0.75	0.71	0.74	0.71	0.69	0.69
10.0	0.88	0.76	0.87	0.76	0.87	0.76	0.82	0.74	0.82	0.75	0.82	0.75	0.78	0.73	0.78	0.73	0.77	0.73	0.72	0.72

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]L2 (50度配光)
光源	LED
定格光束	690lm
1/2 照度角	43°
ビーム角	48°

器具効率 74%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------

照明率表

天井	70%						50%						30%						0%	
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%	
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%	
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%	
0.6	0.69	0.66	0.66	0.64	0.64	0.63	0.69	0.66	0.66	0.64	0.64	0.63	0.68	0.66	0.65	0.64	0.64	0.63	0.62	
0.8	0.72	0.68	0.68	0.66	0.66	0.65	0.71	0.67	0.68	0.66	0.65	0.64	0.69	0.67	0.67	0.65	0.65	0.64	0.63	
1.0	0.75	0.70	0.72	0.68	0.69	0.67	0.73	0.69	0.70	0.68	0.68	0.67	0.72	0.69	0.69	0.67	0.67	0.66	0.66	
1.25	0.77	0.72	0.74	0.70	0.71	0.69	0.75	0.71	0.72	0.69	0.70	0.68	0.73	0.70	0.71	0.69	0.69	0.68	0.67	
1.5	0.79	0.73	0.76	0.71	0.73	0.70	0.77	0.72	0.74	0.70	0.72	0.69	0.74	0.71	0.72	0.70	0.70	0.69	0.68	
2.0	0.83	0.75	0.80	0.73	0.77	0.72	0.79	0.74	0.77	0.73	0.75	0.72	0.76	0.73	0.75	0.72	0.73	0.71	0.70	
2.5	0.84	0.75	0.81	0.74	0.79	0.73	0.80	0.74	0.78	0.73	0.77	0.73	0.77	0.73	0.76	0.72	0.74	0.72	0.70	
3.0	0.85	0.76	0.83	0.75	0.81	0.74	0.81	0.75	0.80	0.74	0.78	0.73	0.78	0.74	0.76	0.73	0.75	0.72	0.71	
4.0	0.88	0.77	0.86	0.76	0.84	0.76	0.83	0.76	0.82	0.75	0.80	0.75	0.79	0.75	0.78	0.74	0.77	0.74	0.72	
5.0	0.89	0.78	0.88	0.78	0.86	0.77	0.84	0.77	0.83	0.76	0.82	0.76	0.80	0.76	0.79	0.75	0.78	0.75	0.73	
10.0	0.93	0.80	0.92	0.80	0.91	0.80	0.87	0.79	0.87	0.79	0.86	0.79	0.82	0.77	0.82	0.77	0.81	0.77	0.75	

配光曲線



水平面照度

