

姿図




品番	GSP003D[B・W]N (30度配光)
光源	LED
定格光束	804lm
1/2 照度角	21°
ビーム角	20°

器具効率 75%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.66	0.63	0.62	0.61	0.60	0.59	0.65	0.63	0.62	0.60	0.60	0.59	0.64	0.62	0.61	0.60	0.59	0.59	0.58
0.8	0.71	0.67	0.68	0.65	0.65	0.64	0.70	0.67	0.67	0.65	0.64	0.63	0.69	0.66	0.66	0.64	0.64	0.63	0.62
1.0	0.75	0.70	0.71	0.68	0.68	0.66	0.73	0.69	0.70	0.67	0.68	0.66	0.71	0.68	0.69	0.67	0.67	0.66	0.65
1.25	0.77	0.71	0.73	0.69	0.70	0.67	0.74	0.70	0.71	0.68	0.69	0.67	0.72	0.69	0.70	0.68	0.68	0.66	0.65
1.5	0.78	0.71	0.74	0.69	0.71	0.67	0.75	0.70	0.72	0.68	0.69	0.67	0.73	0.69	0.70	0.68	0.68	0.66	0.65
2.0	0.81	0.73	0.78	0.72	0.75	0.70	0.78	0.72	0.75	0.71	0.73	0.69	0.75	0.71	0.73	0.70	0.71	0.69	0.67
2.5	0.83	0.75	0.80	0.73	0.77	0.72	0.79	0.73	0.77	0.72	0.75	0.71	0.76	0.72	0.74	0.71	0.73	0.70	0.69
3.0	0.85	0.76	0.82	0.74	0.80	0.73	0.81	0.74	0.79	0.73	0.77	0.72	0.77	0.73	0.76	0.72	0.74	0.71	0.70
4.0	0.89	0.79	0.87	0.78	0.85	0.77	0.84	0.77	0.83	0.77	0.82	0.76	0.80	0.76	0.79	0.76	0.78	0.75	0.73
5.0	0.90	0.79	0.88	0.78	0.87	0.77	0.85	0.77	0.84	0.77	0.82	0.76	0.81	0.76	0.80	0.76	0.79	0.75	0.73
10.0	0.94	0.81	0.93	0.81	0.92	0.81	0.88	0.79	0.87	0.79	0.87	0.79	0.83	0.78	0.82	0.78	0.82	0.78	0.76

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]N (15度配光)
光源	LED
定格光束	751lm
1/2 照度角	21°
ビーム角	20°

器具効率 70%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------


照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.64	0.62	0.61	0.60	0.59	0.58	0.64	0.61	0.61	0.60	0.59	0.58	0.63	0.61	0.60	0.59	0.59	0.58	0.58
0.8	0.69	0.65	0.65	0.63	0.63	0.62	0.67	0.64	0.65	0.63	0.63	0.62	0.66	0.64	0.64	0.62	0.62	0.61	0.61
1.0	0.71	0.67	0.68	0.65	0.66	0.64	0.70	0.66	0.67	0.64	0.65	0.63	0.68	0.65	0.66	0.64	0.64	0.63	0.62
1.25	0.72	0.67	0.69	0.65	0.66	0.64	0.70	0.66	0.67	0.65	0.65	0.63	0.68	0.65	0.66	0.64	0.64	0.63	0.62
1.5	0.73	0.67	0.69	0.65	0.67	0.63	0.70	0.66	0.68	0.64	0.65	0.63	0.68	0.65	0.66	0.64	0.64	0.62	0.61
2.0	0.76	0.69	0.73	0.67	0.70	0.66	0.73	0.68	0.70	0.66	0.68	0.65	0.70	0.67	0.68	0.65	0.66	0.64	0.63
2.5	0.78	0.70	0.75	0.68	0.72	0.67	0.74	0.69	0.72	0.67	0.70	0.66	0.71	0.68	0.69	0.67	0.68	0.66	0.64
3.0	0.80	0.71	0.77	0.70	0.75	0.68	0.76	0.70	0.74	0.69	0.72	0.68	0.72	0.68	0.71	0.68	0.69	0.67	0.65
4.0	0.84	0.74	0.82	0.73	0.80	0.73	0.79	0.73	0.78	0.72	0.77	0.72	0.76	0.72	0.75	0.71	0.74	0.71	0.69
5.0	0.84	0.74	0.83	0.73	0.81	0.73	0.80	0.73	0.79	0.72	0.78	0.72	0.76	0.72	0.75	0.71	0.74	0.71	0.69
10.0	0.88	0.76	0.88	0.76	0.87	0.76	0.83	0.75	0.82	0.75	0.82	0.75	0.78	0.73	0.78	0.74	0.78	0.74	0.72

配光曲線



水平面照度



姿図




品番	GSP003D[B・W]N (50度配光)
光源	LED
定格光束	783lm
1/2 照度角	48°
ビーム角	43°

器具効率 73%	上方光束 0%	下方光束 100%	保守率 1.0
----------	---------	-----------	---------

照明率表

天井	70%						50%						30%						0%
	50%		30%		10%		50%		30%		10%		50%		30%		10%		0%
壁	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
床	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	30%	10%	0%
0.6	0.68	0.65	0.65	0.63	0.63	0.62	0.67	0.65	0.65	0.63	0.63	0.62	0.67	0.65	0.64	0.63	0.62	0.62	0.61
0.8	0.71	0.67	0.67	0.65	0.65	0.64	0.70	0.66	0.67	0.65	0.65	0.63	0.68	0.66	0.66	0.64	0.64	0.63	0.63
1.0	0.74	0.69	0.71	0.67	0.68	0.66	0.72	0.68	0.69	0.67	0.67	0.66	0.71	0.68	0.68	0.67	0.66	0.65	0.65
1.25	0.76	0.71	0.73	0.69	0.70	0.68	0.74	0.70	0.71	0.68	0.69	0.67	0.72	0.69	0.70	0.68	0.68	0.67	0.66
1.5	0.78	0.72	0.75	0.70	0.72	0.69	0.76	0.71	0.73	0.69	0.71	0.68	0.73	0.70	0.71	0.69	0.69	0.68	0.67
2.0	0.82	0.74	0.79	0.73	0.76	0.72	0.78	0.73	0.76	0.72	0.74	0.71	0.76	0.72	0.74	0.71	0.72	0.70	0.69
2.5	0.83	0.75	0.80	0.73	0.78	0.72	0.79	0.73	0.77	0.72	0.76	0.72	0.76	0.72	0.75	0.72	0.73	0.71	0.70
3.0	0.84	0.75	0.82	0.74	0.80	0.73	0.80	0.74	0.79	0.73	0.77	0.72	0.77	0.73	0.76	0.72	0.74	0.72	0.70
4.0	0.87	0.76	0.85	0.76	0.83	0.75	0.82	0.75	0.81	0.74	0.79	0.74	0.78	0.74	0.77	0.73	0.76	0.73	0.71
5.0	0.88	0.77	0.87	0.77	0.85	0.76	0.83	0.76	0.82	0.76	0.81	0.75	0.79	0.75	0.78	0.74	0.78	0.74	0.72
10.0	0.92	0.79	0.91	0.79	0.90	0.79	0.86	0.78	0.85	0.78	0.85	0.78	0.81	0.76	0.81	0.76	0.80	0.76	0.74

配光曲線



水平面照度

